


INSTRUMENT
APPROACH
CHART - ICAOAD ELEV 259 ft
HEIGHTS RELATED
THR RWY 30 - ELEV 187 ftATIS 123.900
APP 119.400
TWR 118.300

PONTA DELGADA, João Paulo II (LPPD)

RNP RWY30 (AR)



Instrument Approach Procedure Coding Table															
Path Terminator	Waypoint				Course/Track MAG (True)	Dist NM	Turn Direction	ARC Centre Waypoint		ARC Radius NM	Altitude	Speed	RNP Value NM	Navigation Specification	Remarks
	Identifier	Type	Flyover	Coordinates				Identifier	Coordinates						
	IF	SM800	IAF	-	380411.09N 0260847.05W	-	-	-	-	+4500FT	250KT	0.3	RNP AR APCH	-	
TF	SM652	-	-	380212.37N 0260640.48W	147 (139.9)	2.59	-	-	-	-	-	-	0.3	RNP AR APCH	-
RF	SM650	-	-	374414.79N 0255404.89W	-	20.65	R	SMC13	372718.77N 0265819.78W	53.79	-	-	0.3	RNP AR APCH	-
RF	SM642	-	-	374229.11N 0255255.61W	-	1.99	L	SMC12	374605.94N 0254653.09W	6.00	-	-	0.3	RNP AR APCH	-
RF	SM640	-	-	374030.77N 0254939.92W	-	3.29	L	SMC12	374605.94N 0254653.09W	6.00	-	-	0.3	RNP AR APCH	-
TF	SM632	-	-	373648.16N 0253753.51W	118 (111.6)	10.06	-	-	-	-	-	-	0.3	RNP AR APCH	-
TF	SM630	-	-	373627.26N 0253647.44W	118 (111.7)	0.94	-	-	-	-	-	200KT	0.3	RNP AR APCH	-
RF	SM620	IF	-	373849.70N 0253139.21W	-	5.43	L	SMC09	373914.71N 0253523.67W	3.00	-	-	0.3	RNP AR APCH	-
RF	SM608	FAP	-	374202.13N 0253359.80W	-	3.99	L	SMC09	373914.71N 0253523.67W	3.00	@2200FT	185KT	0.3/0.2/0.1	RNP AR APCH	-
TF	RW30	MAPT	Y	374418.90N 0254112.86W	298 (291.7)	6.16	-	-	-	-	-	-	0.3/0.2/0.1	RNP AR APCH	-
TF	SM506	-	-	374532.27N 0254505.94W	298 (291.6)	3.31	-	-	-	-	-	-	0.3/0.2/0.1	RNP AR APCH	-
RF	SM670	-	-	373925.23N 0255253.52W	-	10.98	L	SMC15	374106.97N 0254718.14W	4.75	-	210KT	0.3	RNP AR APCH	-
TF	PETUD	-	-	372954.83N 0254819.91W	166 (159.1)	10.16	-	-	-	+3000FT	230KT	0.3	RNP AR APCH	-	
HM	PETUD	-	-	372954.83N 0254819.91W	-	-	R	-	-	+3000FT	230KT	NA	RNP AR APCH	-	
IF	SM700	IAF	-	375459.80N 0261527.28W	-	-	-	-	-	+4500FT	250KT	0.3	RNP AR APCH	-	
TF	SM646	-	-	375121.07N 0260341.41W	118 (111.3)	10.00	-	-	-	-	-	-	0.3	RNP AR APCH	-
RF	SM644	-	-	374804.29N 0255814.23W	-	5.49	R	SMC14	374201.76N 0260817.45W	10.00	-	-	0.3	RNP AR APCH	-
TF	SM642	-	-	374229.11N 0255255.61W	150 (142.9)	6.99	-	-	-	-	-	-	0.3	RNP AR APCH	-
IF	AMIXI	IAF	-	372842.00N 0253036.00W	-	-	-	-	-	+4500FT	250KT	0.3	RNP AR APCH	-	
TF	SM624	-	-	373027.94N 0253147.13W	339 (331.9)	2.00	-	-	-	-	-	-	0.3	RNP AR APCH	-
RF	SM622	-	-	373349.70N 0253232.15W	-	3.47	R	SMC10	373303.60N 0252541.20W	5.50	-	-	0.3	RNP AR APCH	-
TF	SM620	IF	-	373849.70N 0253139.21W	015 (008.0)	5.04	-	-	-	-	-	200KT	0.3	RNP AR APCH	-
IF	XUVAP	IAF	-	373521.17N 0251300.95W	-	-	-	-	-	+4500FT	250KT	0.3	RNP AR APCH	-	
TF	SM545	-	-	373623.03N 0251510.39W	308 (301.0)	2.00	-	-	-	-	-	-	0.3	RNP AR APCH	-
RF	SM613	-	-	373717.09N 0251802.32W	-	2.46	L	SMC21	372956.65N 0252001.45W	7.50	-	-	0.3	RNP AR APCH	-
RF	SM611	-	-	373819.27N 0252218.03W	-	3.55	R	SMC22	375743.97N 0251228.33W	20.90	-	-	0.3	RNP AR APCH	-
TF	SM610	IF	-	374010.85N 0252808.77W	299 (291.8)	5.00	-	-	-	-	-	-	0.3	RNP AR APCH	-
TF	SM608	FAP	-	374202.13N 0253359.80W	299 (291.8)	5.00	-	-	-	-	@2200FT	185KT	0.3	RNP AR APCH	-
IF	PETUD	IAF	-	372954.83N 0254819.91W	-	-	-	-	-	+3000FT	230KT	0.3	RNP AR APCH	-	
TF	SM634	-	-	373154.29N 0254804.13W	013 (006.0)	2.00	-	-	-	-	-	-	0.3	RNP AR APCH	-
RF	SM632	-	-	373648.16N 0253753.51W	-	10.94	R	SMC11	373116.76N 0254038.88W	5.94	-	-	0.3	RNP AR APCH	-